











- ⇒ Introduction
- ⇒ SQL Data Definition
- ⇒ SQL Data Manipulation
- ⇒ SQL Data Control
- ⇒ SQL Transactional Control
- ⇒ SQL Data Types
- ⇒ SQL Constraints
- ⇒ SQL Joins
- ⇒ SQL Subqueries
- ⇒ SQL Advanced Queries



# Power BI

- ⇒ Power BI Basics
- ⇒ Power BI Desktop
- ⇒ Power BI Query Transform
- ⇒ Data / Edit Queries
- ⇒ Power BI Service
- ⇒ Power BI Mobile App
- ⇒ Power BI Licensing Models
- ⇒ (Pro & Premium)
- ⇒ Power BI DAX Data
- ⇒ Analysis Expressions
- ⇒ Power BI Custom
- ⇒ Visualizations



- ⇒ Cloud Computing
- ⇒ Azure
- ⇒ Azure Services

## **Tools used in this Course**







# PowerApps

- ⇒ Power App Introductions
- ⇒ Canvas Apps
- □ Common Data Sources
- ⇒ Model-Driven Apps



# Power Automate

- ⇒ Introduction
- ⇒ Power Automate
- ⇒ Power Automate Flow
- ⇒ End to End Flow









#### Introduction

- ⇒ What is SQL?
- ⇒ Brief history of SQL
- ⇒ Why is SQL Important
- Popular Databases
- ⇒ What Is MySQL?
- ⇒ Introduction to MySQL & MySQL workbench
- ⇒ Install MySQL Database Server
- ⇒ Connect to MySQL Server

#### **SQL Data Definition**

- ⇒ Selecting Database
- ⇒ CREATE DATABASE
- ⇒ DROP DATABASE
- ⇒ Data Types
- **⇒** CREATE TABLE
- ⇒ Sequence
- ⇒ ALTER TABLE
- ⇒ ADD COLUMN
- ⇒ DROP COLUMN
- **⇒** RENAME TABLE
- ⇒ DROP TABLE
- **⇒ TRUNCATE TABLE**

# **SQL Data Manipulation**

- ⇒ SELECT
- ⇒ ORDER BY
- **⇒** WHERE
- ⇒ SELECT DISTINCT
- ⇒ AND
- ⇒ OR
- ⇒ IN
- **⇒** BETWEEN
- ⇒ LIKE
- ⇒ LIMIT
- ⇒ IS NULL
- ⇒ Table & Column Aliases
- ⇒ GROUP BY
- ⇒ HAVING

- ⇒ Subquery
- ⇒ Derived Tables
- ⇒ EXISTS
- ⇒ UNION
- → MINUS
- **⇒** INTERSECT
- ⇒ INSERT
- **⇒** UPDATE
- **⇒** DELETE
- ⇒ REPLACE

# **Data Control Language**

- ⇒ GRANT
- ⇒ REVOKE

## **Transaction Control Language**

- ⇒ COMMIT
- ⇒ ROLLBACK
- ⇒ SAVEPOINT
- ⇒ SET TRANSACTION

#### **Transaction Control Language**

- ⇒ COMMIT
- ⇒ ROLLBACK
- ⇒ SAVEPOINT
- ⇒ SET TRANSACTION

#### **SQL Data Types**

- ⇒ Bit
- ⇒ Boolean
- ⇒ Char
- ⇒ Date
- ⇒ Datetime
- ⇒ Decimal
- ⇒ Int
- → Time
- ⇒ Timestamp
- ⇒ Varchar









## **SQL Constraints**

- ⇒ Primary Key
- ⇒ Foreign Key
- ⇒ Unique Constraint
- ⇒ Check Constraint
- ⇒ Not Null
- ⇒ Default

#### **SQL** Joins

- ⇒ Joins
- ⇒ Inner Join
- ⇒ Left Join
- ⇒ Right Join
- ⇒ Self-join

# **SQL** Subqueries

⇒ Single-row subqueries

⇒ Multiple-row subqueries

⇒ Correlated subqueries

# **SQL Advanced Queries**

⇒ Rank

 ⇒ Dense Rank











#### **Power BI Basics**

- ⇒ Introduction to Reporting
- ⇒ History of Power BI
- ⇒ Power bi desktop installation
- ⇒ Advantages of power bi than SSRS
- ⇒ Tool Introduction
- ⇒ Creating a sample Report

#### **Power BI Desktop**

- ⇒ What is Power BI Desktop?
- ⇒ Connecting / fetching the data to power bi from SQL SERVER / EXCEL /
- ⇒ Tabular SSAS/text file.
- ⇒ Modifying the data source settings.
- ⇒ Understanding of Relationships view/Data view/report view
- Creating/modifying and deleting the relationships.
- ⇒ Manage Relationships.
- Creating / deleting and renaming the reports
- ⇒ Data Refresh options
- ⇒ Table level & column level options
- ⇒ Delete
- ⇒ Rename
- ⇒ Hide
- ⇒ View Hidden
- ⇒ Unhide/collapse/expand all
- ⇒ All filter
- ⇒ New Hierarchy
- ⇒ New Measure/calculation
- ⇒ Datatypes, Changing the Datatype of a Column
- ⇒ Filters in Power Query
- ⇒ Auto Filter / Basic Filtering
- ⇒ Filter a Column using Text Filters
- ⇒ Filter a Column using Number Filters
- ⇒ Filter a Column using Date Filters
- ⇒ Filter Multiple Columns
- Other reporting options
- ⇒ Cut
- ⇒ Copy
- ⇒ Paste
- ⇒ Format Painter
- ⇒ Adding images/Text boxes/shapes
- ⇒ Enter Data
- ⇒ Page View

# Power BI Query – Transform Data / Edit Queries Table level options

- ⇒ Сору
- ⇒ Paste
- ⇒ Delete
- ⇒ Rename
- ⇒ Duplicate
- ⇒ Reference
- ⇒ Move up/down/group
- ⇒ Create function

#### **Column Level options**

- ⇒ Copy/rename
- ⇒ Rename other columns
- ⇒ Duplicate columns
- ⇒ Remove duplicate / errors
- ⇒ Change type
- ⇒ Transform
- ⇒ Replace
- ⇒ Replace error
- ⇒ Split column
- ⇒ Group by
- ⇒ Fill up
- ⇒ Fill down
- ⇒ Unpivot columns and other columns
- ⇒ Rename
- ⇒ Move
- ⇒ Drilldown
- ⇒ Add as a new query
- ⇒ Other options
- ⇒ Merge queries
- ⇒ Append queries
- ⇒ Use first row as a header
- ⇒ Sorting
- ⇒ Create / work with parameters







#### **Append Queries**

- ⇒ Append Queries
- ⇒ Append Queries as New
- ⇒ Append 2 or more files individually with different queries
- Query Options
- ⇒ Copy Query, Paste Query
- ⇒ Delete Query, Rename Query
- ⇒ Enable Load, Include in report Refresh
- ⇒ Duplicate Query, Reference Query
- ⇒ Move to Group, Move Up, Move Down

#### **Merge Queries**

- ⇒ Merge Queries, Merge Queries as New
- ⇒ Default Types of Joins / Join Kinds / Merge Type
- ⇒ Left Outer (all from first, matching from second)
- Right Outer (all from second, matching from first)
- ⇒ Full Outer (all rows from both)
- ⇒ Inner (only matching rows)
- ⇒ Left Anti (rows only in first)
- Right Anti (rows only in second)
- ⇒ Cartesian Join or Cross Join
- ⇒ Transpose
- ⇒ Parse
- ⇒ Reverse columns
- ⇒ Date
- ⇒ Count
- ⇒ Time
- ⇒ Detect data types
- ⇒ Expand
- ⇒ Extract
- ⇒ Aggregate

#### **Power BI Service**

# Power BI Service Introduction

- ⇒ Power BI Service Introduction, Power BI Cloud Architecture
- ⇒ Creating Power BI Service Account, SIGN IN to Power BI Service
- ⇒ Account
- Publishing Reports to the Power BI service, Import / Getting the
- ⇒ Report to PBI Service
- ⇒ My Workspace / App Workspaces Tabs
- DATASETS, WORKBOOKS, REPORTS, DASHBOARDS
- ⇒ Working with Datasets, Creating Reports in Cloud using Published
- ⇒ Datasets
- ⇒ Power BI Datasets Live Connection using Desktop
- ⇒ Working with Workbooks, working with Reports, Sharing Reports

#### **Dashboards Development**

- Publishing Reports to the Power BI service, Import / Getting the
- Report to PBI Service
- ⇒ My Workspace / App Workspaces Tabs
- ⇒ DATASETS, WORKBOOKS, REPORTS, DASHBOARDS
- Working with Datasets, Creating Reports in Cloud using Published
- ⇒ Datasets
- ⇒ Power BI Datasets Live Connection using Desktop
- ⇒ Working with Workbooks, working with Reports, Sharing Reports
- ⇒ Pin Visuals and Pin LIVE Report Pages to Dashboard
- ⇒ Advantages of Dashboards
- ⇒ Interacting with Dashboards
- ⇒ Adding Tiles to Dashboards
- ⇒ Web Content, Image, Text Box, Video
- ⇒ Formatting Dashboard
- ⇒ Sharing Dashboard

#### **Data Gateways**

- ⇒ Introduction to Data Gateways
- ⇒ How Data Gateways work
- ⇒ Connect to an on premise Data Source by using a Data Gateway
- ⇒ Download Data Gateway
- ⇒ Installing a Data Gateway
- ⇒ Types of Gateways
- On-premises Data Gateway,
   On-premises Data Gateway (personal mode)
- ⇒ Manage Data Gateway
- ⇒ Add and Remove Administrators
- ⇒ Add Data Source, Add or Remove Users to a Data Source
- Refresh On Premise Data
- ⇒ Configuring Automatic Refresh using Schedules







# Collaboration in Power Blusing App Workspace

- ⇒ Introduction to App Workspaces
- ⇒ Create an App Workspace
- ⇒ Add Members to App Workspace to Collaborate
- ⇒ App Workspace Access
- ⇒ Admin, Member, Contributor

# Sharing Power BI Content using Apps and Content Packs

- ⇒ Introduction to App
- → Publish an App
- ⇒ Update a Published App
- → Manage Content in App
- ⇒ Include in App, Exclude in App
- ⇒ Sharing App
- ⇒ Entire Organization, Specific individuals or group

#### Row Level Security in Power BI

- ⇒ Introduction to Row Level Security
- ⇒ Row Level Security (RLS) with DAX
- ⇒ Manage Roles, Creating Roles, Testing Roles
- ⇒ Adding Members to Roles in Power BI Service

#### **Power BI Mobile App**

- ⇒ How to install Power BI Mobile App
- ⇒ How to sign in to mobile app
- ⇒ How to customize reports / visuals only for mobile apps specific.

## **Power BI Licensing Models (Pro)**

- ⇒ Introduction to power bi licensing model
- ⇒ What is Power BI Pro
- ⇒ What Is Power BI Premium
- ⇒ Difference between those two Pro and Premium

#### **DAX - Data Analysis Expressions**

- ⇒ Enhancing the Data Model DAX
- ⇒ What is DAX, Calculated Column, Measures
- ⇒ DAX Table and Column Name Syntax
- Creating Calculated Columns, Creating Measures
- ⇒ Calculated Columns Vs Measures
- ⇒ DAX Syntax & Operators
- ⇒ DAX Operators
- ⇒ Types of Operators
- ⇒ Arithmetic Operators, Comparison Operators, Text Concatenation
- ⇒ Operator, Logical Operators
- ⇒ Filter & value functions
- □ Logical functions
- ⇒ Mathematical functions
- ⇒ Statistical functions
- ⇒ Text functions
- ⇒ Time functions

#### **DAX Date & Time Functions**

- ⇒ Year, Month, Day
- ⇒ Weekday, Weeknum
- ⇒ Format (text Function) Month Name, Weekday Name
- ⇒ Date, Today, Now
- ⇒ Hour, Minute, Second, Time
- ⇒ Datediff, Calendar
- ⇒ Creating Date Dimension Table

#### **DAX Text Functions**

- ⇒ Len, Concatenate (&)
- ⇒ Left, Right, Mid
- ⇒ Upper, Lower
- ⇒ Trim, Substitute, Blank

#### **DAX Logical Functions**

- ⇒IF
- ⇒ TRUE, FALSE
- ⇒ NOT, OR, IN, AND
- ⇒ IFERROR
- ⇒ SWITCH







#### **DAX Math and Statistical Functions**

- ⇒ Int
- Round, Roundup, Rounddown
- ⇒ Divide
- ⇒ Even, Odd
- ⇒ Power, Sign
- ⇒ Sgrt, Fact
- ⇒ Sum, Sumx
- ⇒ Min, Minx
- ⇒ Max, Maxx
- ⇒ Count. Countx
- ⇒ Average, Averagex
- ⇒ Countrows, Countblank

#### **DAX Filter Functions**

- ⇒ Calculate
- ⇒ Calculatetable
- ⇒ All
- ⇒ Related
- ⇒ Allselected
- ⇒ Allcrossfiltered
- ⇒ Distinct
- ⇒ Earlier
- ⇒ Filter
- ⇒ Hasonefilter
- ⇒ Hasonevalue
- ⇒ Isfiltered
- ⇒ Iscrossfiltered
- ⇒ Selectedvalue
- ⇒ Userrelationship

#### **DAX Time Intelligence Functions**

- ⇒ Time Intelligence Introduction
- ⇒ Totalmtd, Totalqtd, Totalytd
- ⇒ Previousday, Previousmonth
- ⇒ Previousquarter, Previousyear
- ⇒ Nextday, Nextmonth
- ⇒ Nextquarter, Nextyear
- ⇒ Sameperiodlastyear
- ⇒ Parallalperiod

# **Power BI Custom Visualizations**

- ⇒ PBI certified Visuals
- ⇒ Word Cloud
- ⇒ Infographic Designer
- ⇒ Drill down pie chart
- ⇒ Histogram



## **Induction to Cloud Computing**

- ⇒ What is Cloud Computing?
- ⇒ Different cloud platforms
- ⇒ Could Services

#### **Azure**

- ⇒ Azure Introductions
- ⇒ Azure Fundamentals
- ⇒ IaaS, PaaS & SaaS

#### **Azure Services**

- ⇒ Azure Blob Storage
- ⇒ Azure Data Lake Storage (ADLS)
- ⇒ Azure SQL Database
- ⇒ Azure Data Factory
- ⇒ Dataflow ⇒ Power Query Editor
- ⇒ Pipeline ⇒ Datasets

#### **Azure with Power Bl**

- ⇒ Azure Power BI Connectivity
- ⇒ End to End Connectivity from Azure Services to PowerBI









#### OUR STUDENTS ARE PLACED IN










































































**Quality**Thought

90307 03051 90305 35576

**Quality Thought Infosystems India (P) Ltd.** 

#302, Nilgiri Block, Ameerpet, Hyderabad-500016 | www.qualitythought.in | info@qualitythought.in